



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1744/162/06/23/0950


Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : RICH A NV
Westerring 27, 9700 Oudenaarde
Belgium

Description

PPE Type : *Protective motorcycle's glove*
Product reference : Level 2 In 1 Gore-Tex Glove
Article code : Black - 5LE100
Glove description : Leather glove with knuckle protection
Available sizes : S (7), M (8), L (9), XL (10), 2XL (11), 3XL (12)

Pictures :



1 KP
EN 13594:2015
CE i UK
OUTER SHELL: 75% LEATHER, 17% POLYAMIDE, 5% POLYESTER, 3% PU
MEMBRANE: 100% PTFE GORE-TEX
LINING: 100% POLYESTER
LEVEL 2 IN 1 GORE-TEX GLOVE BLACK - 5LE100
11YJ39-21
WWW.RICHA.EU
WESTERRING 27
9700 OUDENAARDE
BELGIUM

CLEAN WITH A DAMP CLOTH / TREAT DRY GLOVES WITH LEATHER CONDITIONER
NETTOYER À L'AIDE D'UN CHIFFON HUMIDE / TRAITER LES GANTS SECS AVEC UN CONDITIONNEUR POUR CUIR
MIT EINEM FEUCHTEN TUCH REINIGEN / DIE TROCKENEN HANDSCHUHE MIT LEDERPFLEGE MITTEL BEHANDELN
REINIG MET EEN VOCHTIGE DOEK / BEHANDEL DE DROGE HANDSCHOENEN MET LEERCONDITIONER
PULIRE CON UN PANNINO UMIDO / TRATTARE I GUANTI ASCIUTTI CON PRODOTTI PER CUOIO
LIMPIAR CON UN PAÑO HÚMEDO / TRATAR LOS GUANTES SECS CON UN ACONDICIONADOR DE CUERO
MADE IN BANGLADESH

Reference standard :

Levels of performance

EN ISO 21420 : 2020

-

EN 13594:2015

Level 1 with Knuckle Protection

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from JUNE 2023 and in the user instruction index 1 - date 2022.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Nadine PIPAZ
CE Expert Team Coordinator

Date of first issue : 05 September 2023
End of validity date : 05 September 2028



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

RICHA NV

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	Level 2 In 1 Gore-Tex Glove
Article code	:	Black - 5LE100
Technical file index	:	01
Last update	:	JUNE 2023

GLOVE DESCRIPTION

General glove description :

Leather glove with knuckle protection

Visual description (picture back and palm sides) :




Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.1	PPE incorporating adjustments systems	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
Specific application	Motorcycle glove	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material (composition)	Surfacic mass (g/m ²)	Gauges	Thickness
Palm	YJ-MT#74 (GOAT D/D WR)	Black	100% leather			0.65 - 0.75 MM
	YJ-MT#39 (AX CONNECT VN (CONDUCTIVE PU))	Black	65% Polyester, 35% PU	180 g/yd		
Back	YJ-MT#74 (GOAT D/D WR)	Black	100% leather			0.65 - 0.75 MM
	YJ-MT#52 (NYSPAN #1715 (LAMI))	Black	94% polyester, 6% PU	430 g/yd		
	YJ-MT#50 (KORDURA RIP STOP 500D)	Black	100% nylon	275 g/yd		
	YJ-MT#80 (NEW SPANDEX (LAMI) RED)	Red	95% nylon, 5% PU	540 g/m ²		
Fourchette	YJ-MT#74 (GOAT D/D WR)	Black	100% leather			0.65 - 0.75 MM
Cuff	GEN-MT#19 (VELCRO (HOOK & LOOP) 1.5 INCH)	Black	100% nylon			
	YJ-MT#27 (COW NAPPA)	Black	100% leather			0,75 - 0,85 MM
	YJ-MT#9 (REFLECTIVE FABRIC GREY)	Silver grey	65% polyester, 35% cotton	250 g/yd		
Lining	YJ-MT#6 (TRI-FLEECE)	Black	100% polyester	44"/yd		
	YJ-MT#29 (RUBBER SPONGE 3/5MM R/S)	Black	100% rubber			
	(YJ-MT#96) TPR WARM GRIP MIDDLE	Black/ red/ blue	100% TPR			
Internal lining (membrane)	YJ-MT#40 (GORE-TEX NGFG INSERT)	White	100% ePTFE	35 g/m ²		
Metacarpal protection	YJ-MT#3 (SUPER FABRIC #700149)	Dark grey	100% polyester	270g/ sheet		
	YJ-MT#59 (5/5MM TEMPER FOAM GREY)	Grey	100% PU			5MM
	YJ-MT#58 (5MM SPONGE WHITE)	White	100% polyester			3 - 7 MM
Binding	YJ-MT#20 - ROLL PU (3200302) (DONGGWANG)	Black	54% Nylon, 46% Polyurethane	54" 350g/yd		
	YJ-MT#92 (HYPALON)	Black	68% rubber, 32% polyester			1mm

STYLE	LEVEL 2 IN 1 GTX GLOVE (YMG012-022)
OUTSHELL	GOAT D/D WR/ COW NAPPA / COW NAPPA DULL/ NYSPAN#1715 LAMI/ KORDURA RIPSTOP 500D / ROLL PU / MICRO FIBER SUPERFABRIC#700149/ NEW SPANDEX/ HYPALON / REFLECTIVE/ AX CONNECT VN 0.7mm:BLK
LINING & INSULATION	Upper one(Warm chamber)-BACK, BACK THUMB: GLASS+THINSULATE G100+TRI-FLEECE; Upper one(Warm chamber)-PALM: GLASS+THINSULATE C40+TRI-FLEECE; Lower one(Grip chamber)-Palm hand, Back hand, and Middle finger: TRI-FLEECE
INSERT	GORE-TEX NGFG INSERT
<Material Used>	



Pictures of material + seams

SEAM LIST LEVEL 2 IN 1 GTX GLOVE

NUMBER	SIDE 1	SIDE 2	TYPE	TEST REPORT NUMBER
1	YJ-MT#74 (GOAT D/D WR)	YJ-MT#80 (NEW SPANDEX (LAMI) RED)	Flat seam folded, single stitching	SPC0316893 2129 5
2	YJ-MT#74 (GOAT D/D WR)	YJ-MT#74 (GOAT D/D WR)	Inside seam, single stitching	SPC0316893 2129 5
3	YJ-MT#74 (GOAT D/D WR)	YJ-MT#3 (SUPER FABRIC #700149)	Flat seam unfolded, double stitching	SPC0316893 2129 5
4	YJ-MT#74 (GOAT D/D WR)	YJ-MT#74 (GOAT D/D WR) + YJ-MT#58 (5MM SPONGE WHITE) + YJ-MT#26 (POWERNET (KNITTED WHITE))	Flat seam folded, single stitching	SPC0316893 2129 5
5	YJ-MT#52 (NYSPAN #1715 (LAMI))	YJ-MT#74 (GOAT D/D WR) + YJ-MT#58 (5MM SPONGE WHITE) + YJ-MT#26 (POWERNET (KNITTED WHITE))	Flat seam folded, single stitching	SPC0316893 2129 5
6	YJ-MT#3 (SUPER FABRIC #700149)	YJ-MT#74 (GOAT D/D WR) + YJ-MT#58 (5MM SPONGE WHITE) + YJ-MT#26 (POWERNET (KNITTED WHITE))	Flat seam folded, single stitching	SPC0316893 2129 5
7	YJ-MT#52 (NYSPAN #1715 (LAMI))	YJ-MT#27 (COW NAPPA)	Flat seam unfolded, double stitching	SPC0316893 2129 5
8	YJ-MT#52 (NYSPAN #1715 (LAMI))	YJ-MT#9 (REFLECTIVE FABRIC GREY)	Flat seam folded, single stitching	SPC0316893 2129 5
9	YJ-MT#39 (AX CONNECT VN (CONDUCTIVE PU))	YJ-MT#74 (GOAT D/D WR)	Inside seam, single stitching	SPC0316893 2129 5
10	not structural			
11	YJ-MT#74 (GOAT D/D WR)	YJ-MT#74 (GOAT D/D WR)	Inside seam, single stitching	SPC0316893 2129 5
12	not structural			
13	YJ-MT#50 (KORDURA RIP STOP 500D)	YJ-MT#74 (GOAT D/D WR)	Inside seam, single stitching	SPC0316893 2129 5
14	YJ-MT#74 (GOAT D/D WR)	YJ-MT#52 (NYSPAN #1715 (LAMI))	Flat seam unfolded, single stitching - zigzag	SPC0316893 2129 5
15	not structural			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for motorcycle

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Available Size Range: S (7), M (8), L (9), XL (10), 2XL (11), 3XL (12)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Motorcycle gloves EN 13594 : 2015

Protection offered	Performance levels
Level	Level 1
Knuckle Protection	YES

TEST REPORTS

	CTC	Other
EN ISO 21420 + innocuousness	L210100616_1; L211222339_1; L220509010_1; L210713807_1; L220610510_1; L220407869_1; L220509010_1; L211222574_1; L220303757_1; L230100149_1; L221018542_1	SATRA CHM0327891/2210/JH IDIADA MT22050066 IDIADA MT21010094 IDIADA MT21020107 IDIADA MT20010145 IDIADA MT22050055 IDIADA MT21030009
EN 13594	L220407865_1; L220917000_1; L230100149_1; L230509872_1	IDIADA MT20010026 IDIADA MT20010145 SATRA SPC0316893 2129 5

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : Level 2 In 1 Gore-Tex Glove

Article Code : Black - 5LE100

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



Marking of packaging example :



Method of marking on the glove :

Labels stitched inside the cuff

Packaging :

Plastic bag with product label

PPE subject to ageing :

Peremption period : 5 years after the first use after the first use when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

MEANS OF CONTROL

1. Research and development
2. Sourcing
3. Purchasing
4. Documentation and traceability
5. Receipt of raw materials / Control of supplies
 - Testing of raw materials in laboratory: pH & Azoïcs test with every new shipment
 - Measuring of material weight before accepting shipment to make sure the identical g/m² is purchased as before
6. Quality control during glove manufacturing
7. Quality control of finished gloves
 - Control of the the glove finish, if there are deformations in the glove, loose threads, ergonomics, scraping of the material on the skin of 10 pairs randomly selected.
 - Aging in climatic chambers of 10 pairs randomly selected
8. Quality control packaging & labels
9. Quality control finished shipment
10. Quality control necessary documents
11. Receipt and inspection of documents and gloves at headquarters
12. Written evaluation finished order