




Kraftfahrt-Bundesamt

DE-24932 Flensburg



MITTEILUNG

ausgestellt von:

Kraftfahrt-Bundesamt

über die Erweiterung einer Genehmigung für einen Schutzhelmtyp mit einem Visiertyp(en) nach der Regelung Nr. 22 einschließlich Änderung Nr. 06 Ergänzung 01

COMMUNICATION

issued by:

Kraftfahrt-Bundesamt

concerning the extension of an approval of a type of protective helmet with one visor type(s) pursuant to Regulation No. 22 including amendment No. 06 supplement 01

Genehmigungsnummer: **E1*22R06/01*300728*04**

Approval number:

1. Fabrik- oder Handelsmarke:
Trade name or mark:
TORC, ORIGINE, TANKED RACING, VCAN, NITEK, NEXO, BENELLI, SQ, BOOST, RUEGER, STORMER, JUST1, MAX, ROCC, SCORPION, RJAYS, GERMOT, ZUNDAPP, ROMER, AKIRA, KSK, TRENDY, PIAGGIO, MOTO GUZZI, APRILIA, DERBI, VIPER, STEALTH, SPIRIT, SHAFT, CMS, W-TEC, SEC, DEXTER, Z1R, LEVIOR, PROTECTWEAR, NAVA, FASTR, MOTOZEM, JET, BOGOTTO, CASSIDA, MASU, YOKO, ELDORADO, TORQ, SPARTA, 130R, X-SPORTS, J1, ROOK HELMETS, JOHNNY REB, CRAFT, Hayder Motorcycles, römer, rueger-helmets, EOLE, AMOQ, RAVEN, HYPE HELMETS, BEFAST, PROGRIP, BIKE IT, VPR, 3GO, 3GO Helmets, RSX, ZORAX, PROV, KENNY, S-LINE, SWAP'S, GASOLINE, VESPA, SSY, Ajax, ROOST
2. Typ:
Type:
V151
3. Größen:
Sizes:
XXXXS(48), XXXS(49/50), XXS(51/52), XS(53/54), S(55/56), M(57/58), L(59/60), XL(61/62), XXL(63)
4. Name des Herstellers:
Manufacturer's name:
**SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.
CN-201401 Fengxian, Shanghai**



Kraftfahrt-Bundesamt

DE-24932 Flensburg

2

Genehmigungsnummer: **E1*22R06/01*300728*04**

Approval Number:

5. Anschrift:
 Address:
 Siehe Punkt 4.
 See item 4.

6. Name des Vertreters des Herstellers (gegebenenfalls):
 Name of manufacturer's representative (if any):
 Entfällt
 Not applicable

7. Anschrift:
 Address:
 Siehe Punkt 6.
 See item 6.

8. Kurze Beschreibung des Helms:
 Brief description of helmet:
 Siehe Anlagen
 See enclosures

9. **Helm mit schützender unterer Gesichtsabdeckung (P)**
 Helmet with protective lower face cover (P)

10. Visiertyp oder Visiertypen:
 Type of visor or visors:
 H-02
 E1 22R 06300902

11. Kurze Beschreibung des Visiers oder der Visiere:
 Brief description of visor(s):
 Siehe Anlagen
 See enclosures

12. Zur Genehmigung vorgelegt am:
 Submitted for approval on:
 06.09.2022

13. Technischer Dienst, der die Prüfungen für die Genehmigungen durchführt:
 Technical service responsible for conducting approval tests:
 SGS-TÜV Saar GmbH
 DE-81379 München

14. Datum des Gutachtens des Technischen Dienstes:
 Date of report issued by that service:
 06.09.2022



Kraftfahrt-Bundesamt

DE-24932 Flensburg

3

Genehmigungsnummer: **E1*22R06/01*300728*04**

Approval Number:

15. Nummer des Gutachtens des Technischen Dienstes:
Number of report issued by that service:
HOM ECN T18/159-01

16. Bemerkung(en):
Remark(s):
Aktualisierung der Helmgrößen
Updating of the helmet sizes

Aktualisierung des Visiertypes
Updating of the visor type

Aktualisierung der Fabrik-oder Handelsmarke(n)
Updating of the trade name(s) or mark(s)

Handelsbezeichnung(en):
General commercial description(s):
T151, H151

17. Die Genehmigung wird **erweitert**
Approval is **extended**

18. Ort: **DE-24932 Flensburg**
Place:

19. Datum: **15.09.2022**
Date:

20. Unterschrift: **Im Auftrag**
Signature:


(D. Stieglitz)





Kraftfahrt-Bundesamt

DE-24932 Flensburg

4

Genehmigungsnummer: **E1*22R06/01*300728*04**

Approval Number:

21. Folgende mit der oben erwähnten Genehmigungsnummer versehene Dokumente sind auf Anforderung erhältlich:
The following documents, bearing the approval number shown above, are available on request:

Anlagen:

Enclosures:

Gemäß Inhaltsverzeichnis

According to index



Kraftfahrt-Bundesamt

DE-24932 Flensburg

Zu: E1*22R06/01*300728*04

To:

Erklärung über die Einhaltung der Anforderungen hinsichtlich der Übereinstimmung der Produktion gemäß dem Übereinkommen von 1958
Statement of compliance with the conformity of the production requirements of the 1958 Agreement

1. Name des Herstellers:
Manufacturer's name:
SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.
CN-201401 Fengxian, Shanghai
2. Datum der Anfangsbewertung:
Date of the initial assessment:
30.09.2014
3. Datum aller durchgeführten Überwachungstätigkeiten:
Date of any surveillance activities:

Aktenzeichen Register number	Datum der Begehung Date of inspection	Genehmigungsnummer Approval number
---------------------------------	--	---------------------------------------

CoP-Q:

Entfällt

Not applicable

CoP-P:

P-432-1-0042-10	18.05.2010	05300212
P-432-1-0100-10	15.06.2010	05300204
P-432-1-0140-11	20.09.2011	05300225
P-501697	27.06.2017	05300526, Erweiterung 04



Kraftfahrt-Bundesamt

DE-24932 Flensburg

Zu: **E1*22R06/01*300728*04**

To:

Inhaltsverzeichnis zu den Beschreibungsunterlagen Index to the information package

Ausgabedatum: **05.12.2018** Letztes Änderungsdatum: **15.09.2022**
Date of issue: Last date of amendment:

Nebenbestimmungen und Rechtsbehelfsbelehrung
Collateral clauses and instruction on right to appeal

Prüfbericht(e) Nr.:	Datum:
Test report(s) No.:	Date:
HOM ECN T18/159-00	27.11.2018
HOM ECN T18/159-01	06.09.2022

Beschreibungsbogen Nr.:	Datum:
Information document No.:	Date:
R22-V151-00	10.10.2018
R22-V151-01	09.08.2022

Liste der Änderungen:	Datum:
List of modifications:	Date:
Siehe Prüfbericht: "List of modifications"	06.09.2022
See test report: "List of modifications"	



Kraftfahrt-Bundesamt

DE-24932 Flensburg

Nummer der Genehmigung: **E1*22R06/01*300728*04**

- Anlage -

Nebenbestimmungen und Rechtsbehelfsbelehrung

Nebenbestimmungen

Jede Einrichtung, die dem genehmigten Typ entspricht, ist gemäß der angewendeten Vorschrift zu kennzeichnen.

Die Einzelerzeugnisse der reihenweisen Fertigung müssen mit den Genehmigungsunterlagen genau übereinstimmen. Änderungen an den Einzelerzeugnissen sind nur mit ausdrücklicher Zustimmung des Kraftfahrt-Bundesamtes gestattet.

Änderungen der Firmenbezeichnung, der Anschrift und der Fertigungsstätten sowie eines bei der Erteilung der Genehmigung benannten Zustellungsbevollmächtigten oder bevollmächtigten Vertreters sind dem Kraftfahrt-Bundesamt unverzüglich mitzuteilen.

Verstöße gegen diese Bestimmungen können zum Widerruf der Genehmigung führen und können überdies strafrechtlich verfolgt werden.

Die Genehmigung erlischt, wenn sie zurückgegeben oder entzogen wird, oder der genehmigte Typ den Rechtsvorschriften nicht mehr entspricht. Der Widerruf kann ausgesprochen werden, wenn die für die Erteilung und den Bestand der Genehmigung geforderten Voraussetzungen nicht mehr bestehen, wenn der Genehmigungsinhaber gegen die mit der Genehmigung verbundenen Pflichten - auch soweit sie sich aus den zu dieser Genehmigung zugeordneten besonderen Auflagen ergeben - verstößt oder wenn sich herausstellt, dass der genehmigte Typ den Erfordernissen der Verkehrssicherheit oder des Umweltschutzes nicht entspricht.

Das Kraftfahrt-Bundesamt kann jederzeit die ordnungsgemäße Ausübung der durch diese Genehmigung verliehenen Befugnisse, insbesondere die genehmigungsgerechte Fertigung sowie die Maßnahmen zur Übereinstimmung der Produktion, nachprüfen. Es kann zu diesem Zweck Proben entnehmen oder entnehmen lassen. Dem Kraftfahrt-Bundesamt und/oder seinen Beauftragten ist ungehinderter Zutritt zu Produktions- und Lagerstätten zu gewähren.

Die mit der Erteilung der Genehmigung verliehenen Befugnisse sind nicht übertragbar. Schutzrechte Dritter werden durch diese Genehmigung nicht berührt.

Rechtsbehelfsbelehrung

Gegen diese Genehmigung kann innerhalb eines Monats nach Bekanntgabe Widerspruch erhoben werden. Der Widerspruch ist beim **Kraftfahrt-Bundesamt, Fördestraße 16, DE-24944 Flensburg**, schriftlich oder zur Niederschrift einzulegen.



Kraftfahrt-Bundesamt

DE-24932 Flensburg

2

Approval No.: **E1*22R06/01*300728*04**

- Attachment -

Collateral clauses and instruction on right to appeal

Collateral clauses

All equipment which corresponds to the approved type is to be identified according to the applied regulation.

The individual production of serial fabrication must be in exact accordance with the approval documents. Changes in the individual production are only allowed with express consent of the Kraftfahrt-Bundesamt.

Changes in the name of the company, the address and the manufacturing plant as well as one of the parties given the authority to delivery or authorised representative named when the approval was granted is to be immediately disclosed to the Kraftfahrt-Bundesamt.

Breach of this regulation can lead to recall of the approval and moreover can be legally prosecuted.

The approval expires if it is returned or withdrawn or if the type approved no longer complies with the legal requirements. The revocation can be made if the demanded requirements for issuance and the continuance of the approval no longer exist, if the holder of the approval violates the duties involved in the approval, also to the extent that they result from the assigned conditions to this approval, or if it is determined that the approved type does not comply with the requirements of traffic safety or environmental protection.

The Kraftfahrt-Bundesamt may check the proper exercise of the conferred authority taken from this approval at any time. In particular this means the compliant production as well as the measures for conformity of production. For this purpose samples can be taken or have taken. The employees or the representatives of the Kraftfahrt-Bundesamt may get unhindered access to the production and storage facilities.

The conferred authority contained with issuance of this approval is not transferable. Trade mark rights of third parties are not affected with this approval.

Instruction on right to appeal

This approval can be appealed within one month after notification. The appeal is to be filed in writing or as a transcript at the **Kraftfahrt-Bundesamt, Fördestraße 16, DE-24944 Flensburg.**

Technical Report

V00

Test standard:
ECE Regulation No. 22

Level of amendment:
Supplement 1 to the 06 series of amendments

Title:
Protective helmets and their visors

Manufacturer:
SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.

Type:
V151

Subject of testing:
Component

0 General

0.1	Make (trade name of manufacturer):	TORC, ORIGINE, TANKED RACING, VCAN, NITEK, NEXO, BENELLI, SQ, BOOST, RUEGER, STORMER, JUST1, MAX, ROCC, SCORPION, RJAYS, GERMOT, ZUNDAPP, ROMER, AKIRA, KSK, TRENDY, PIAGGIO, MOTO GUZZI, APRILIA, DERBI, VIPER, STEALTH, SPIRIT, SHAFT, CMS, W-TEC, SEC, DEXTER, Z1R, LEVIOR, PROTECTWEAR, NAVA, FASTR, MOTOZEM, JET, BOGOTTO, CASSIDA, MASU, YOKO, ELDORADO, TORQ, SPARTA, 130R, X-SPORTS, <u>J1, ROOK HELMETS, JOHNNY REB, CRAFT, Hayder Motorcycles, römer, rueger-helmets, EOLE, AMOQ, RAVEN, HYPE HELMETS, BEFAST, PROGRIP, BIKE IT, VPR, 3GO, 3GO Helmets, RSX, ZORAX, PROV, KENNY, S-LINE, SWAP'S, GASOLINE, VESPA, SSY, Ajax, ROOST</u>
0.2	Type:	V151
0.2.1	Commercial description(s):	<u>T151, H151</u>
0.3	Means of identification of type, if marked on the vehicle / component / technical unit:	refer to information document
0.3.1	Location of that marking:	refer to information document
0.4	Category of vehicle:	n.a.
0.5	Manufacturer's name and address:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD. NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA
0.8	Name(s) and address(es) of assembly plant(s):	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD. NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA

R22 E1*22R06/01*300728*04

0.9	Name and address of representative:	n.a.
	Location of the ECE approval mark:	refer to information document

1 Test record

See appendix

2 Attachments

2.1 List of modifications:

2.2 Information folder: No.: R22-V151-01

Date of issue: 09.08.2022

3 Statement of conformity:

The information folder as mentioned under no. 2.2 and the type described therein are in compliance with the test standard mentioned above. With regard to the required level of performance to be achieved, the test specimen were representative for the type to be approved.

The tests were carried out in accordance to the relevant requirements of the

EN ISO/IEC 17025 EN ISO/IEC 17020

Test Laboratory
SGS-TÜV Saar GmbH

notified by

Kraftfahrt-Bundesamt (KBA),
Federal Republic of Germany

National Standards
Authority of Ireland (NSAI)

Rijksdienst voor het
Wegverkeer (RDW),
The Netherlands

No. KBA - P 00084 – 10

No. 101

No. 99050064 00

Responsible expert

Conformity check by



Natalia Zhang

Lell Wu

Natalia Zhang

Guangzhou, 06.09.2022

This Technical Report shall be reproduced and published in full only and by the client only. It shall be reproduced partially with the written permission of the Test Laboratory only.

This document is issued by the Company subject to its General Conditions of Service (www.sgsgroup.de/agb).

Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. This document is an original. If the document is submitted digitally, it is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

To assess the conformity, the laboratory refers to the "scope classification" of the Kraftfahrt-Bundesamt (KBA) – Federal Motor Transport Authority (in its valid version at the time of testing) and the specified consideration of the measurement uncertainty for the related test procedure.

In case the measurement uncertainty does not need to be considered according to the scope classification, the laboratory considers the result conform if its measured value is within the specification.

In case the measurement uncertainty does need to be considered according to the scope classification, the laboratory considers the result conform if its value incl. its measurement uncertainty is within the specification.

Test record

1 Test object and measuring equipment

1.1 Test object

- Protective helmet (without visor)
- Protective helmet (with visor)
- Visor (protective screen)
- Sun shield (additional tinted screen)

1.1.1 Protective Helmet

Type:

V151

Sizes:

XXXXS(48), XXXS(49/50), XXS(51/52), XS(53/54), S(55/56), M(57/58), L(59/60), XL(61/62), XXL(63)

Helmet types:

- (J) Jet
- (P) Full face
- (NP) Jet
- (P/J) Modular helmet

1.1.2 Visor

Visor type: H-02

Refer to approval no.: E1 22R 06300902

1.1.3 Sun shield

n.a.

1.1.4 Remarks:

n.a.


1.2 Equipments for measuring and testing:

1.2.1 Test equipment:

The equipment and the test facilities on which the tests were carried out fulfilled the requirements of the ECE Regulation 22.06

1.2.2 Measurement procedure:

according to ECE Regulation No. 22.06

2	Test Results	<p>Due to the reason of extension (see attachment 2.1 List of modifications), all tests related were repeated according to this regulation, test results refer to bellow items.</p>								
2.1	Protective helmet									
2.1.1	Marking (clause 4.1, 4.3, 4.4)	<p>All required information, in accordance with the ECE R22.06, is given by the labels</p> <table border="0"> <tr><td><input checked="" type="checkbox"/></td><td>fulfilled</td></tr> <tr><td><input type="checkbox"/></td><td>Not fulfilled</td></tr> <tr><td><input type="checkbox"/></td><td>n.a.</td></tr> </table>	<input checked="" type="checkbox"/>	fulfilled	<input type="checkbox"/>	Not fulfilled	<input type="checkbox"/>	n.a.		
<input checked="" type="checkbox"/>	fulfilled									
<input type="checkbox"/>	Not fulfilled									
<input type="checkbox"/>	n.a.									
2.1.2	Basic construction (clause 6.1)	<p>Shell + Protective padding + Retention system</p> <table border="0"> <tr><td><input checked="" type="checkbox"/></td><td>fulfilled</td></tr> <tr><td><input type="checkbox"/></td><td>Not fulfilled</td></tr> <tr><td><input type="checkbox"/></td><td>n.a.</td></tr> </table>	<input checked="" type="checkbox"/>	fulfilled	<input type="checkbox"/>	Not fulfilled	<input type="checkbox"/>	n.a.		
<input checked="" type="checkbox"/>	fulfilled									
<input type="checkbox"/>	Not fulfilled									
<input type="checkbox"/>	n.a.									
2.1.3	If fitted with non protective lower face cover (clause 6.2)	<table border="0"> <tr><td><input type="checkbox"/></td><td>Marked</td></tr> <tr><td><input type="checkbox"/></td><td>“Does not protect chin from impacts”</td></tr> <tr><td><input type="checkbox"/></td><td>Marked with symbol</td></tr> <tr><td><input checked="" type="checkbox"/></td><td>n.a.</td></tr> </table> <div style="display: inline-block; vertical-align: middle; margin-left: 20px;">  </div>	<input type="checkbox"/>	Marked	<input type="checkbox"/>	“Does not protect chin from impacts”	<input type="checkbox"/>	Marked with symbol	<input checked="" type="checkbox"/>	n.a.
<input type="checkbox"/>	Marked									
<input type="checkbox"/>	“Does not protect chin from impacts”									
<input type="checkbox"/>	Marked with symbol									
<input checked="" type="checkbox"/>	n.a.									
2.1.4	Component or device (Clause 6.3)	<p>Not cause injury and the helmet still complies with the regulation.</p> <table border="0"> <tr><td><input checked="" type="checkbox"/></td><td>fulfilled</td></tr> <tr><td><input type="checkbox"/></td><td>Not fulfilled</td></tr> <tr><td><input type="checkbox"/></td><td>n.a.</td></tr> </table>	<input checked="" type="checkbox"/>	fulfilled	<input type="checkbox"/>	Not fulfilled	<input type="checkbox"/>	n.a.		
<input checked="" type="checkbox"/>	fulfilled									
<input type="checkbox"/>	Not fulfilled									
<input type="checkbox"/>	n.a.									
2.1.5	Extent of the protection (clauses 6.4, 6.5)	<p>The shell and the protective padding cover all areas as required</p> <table border="0"> <tr><td><input checked="" type="checkbox"/></td><td>fulfilled</td></tr> <tr><td><input type="checkbox"/></td><td>Not fulfilled</td></tr> <tr><td><input type="checkbox"/></td><td>n.a.</td></tr> </table>	<input checked="" type="checkbox"/>	fulfilled	<input type="checkbox"/>	Not fulfilled	<input type="checkbox"/>	n.a.		
<input checked="" type="checkbox"/>	fulfilled									
<input type="checkbox"/>	Not fulfilled									
<input type="checkbox"/>	n.a.									

R22 E1*22R06/01*300728*04

2.1.6	Projections / irregularities / sharp edges (clauses 6.6 to 6.8)	<p>All external projections other than press-fasteners are smooth and adequately faired, all external projections which are not more than 2 mm above the outer surface of the shell, have a radius of more than 1 mm, all external projections which are more than 2 mm above the outer surface of the shell have a radius of more than 2 mm.</p> <p>All projections or irregularities in the outer surface of the shell which are higher than 2 mm, fulfill the requirements after the shear assessment test. The outer surface of the helmet fulfills the requirements after the friction assessment test.</p> <p>There are no inward-facing sharp edges on the inside of the helmet; rigid, projecting internal parts are covered with padding so that any stresses transmitted to the head are not highly concentrated.</p> <p><input checked="" type="checkbox"/> fulfilled <input type="checkbox"/> Not fulfilled <input type="checkbox"/> n.a.</p>
2.1.8	The various components (Clause 6.9)	<p>Not liable to become easily detached as a result of an impact</p> <p><input checked="" type="checkbox"/> fulfilled <input type="checkbox"/> Not fulfilled <input type="checkbox"/> n.a.</p>
2.1.9	Control/actuating device for the detachable or movable lower face cover (clause 6.12)	<p>Maintains the intended position, impossible incorrect handling, in red color.</p> <p><input type="checkbox"/> fulfilled <input type="checkbox"/> Not fulfilled <input checked="" type="checkbox"/> n.a.</p>

2.1.10	Characteristics of the materials (Clause 6.13)	<input type="checkbox"/> fulfilled <input type="checkbox"/> Not fulfilled <input checked="" type="checkbox"/> n.a.
2.1.11	No breakage or deformation after tests (Clause 6.14)	<input checked="" type="checkbox"/> fulfilled <input type="checkbox"/> Not fulfilled <input type="checkbox"/> n.a.
2.1.12	Peripheral vision (clause 6.15)	
	Horizontal ($\geq 105^\circ$):	<input checked="" type="checkbox"/> fulfilled <input type="checkbox"/> Not fulfilled <input type="checkbox"/> n.a.
	Upwards ($\geq 7^\circ$):	<input checked="" type="checkbox"/> fulfilled <input type="checkbox"/> Not fulfilled <input type="checkbox"/> n.a.
	Downwards ($\geq 45^\circ$):	<input checked="" type="checkbox"/> fulfilled <input type="checkbox"/> Not fulfilled <input type="checkbox"/> n.a.
2.1.13	Conspicuity marking (clause 6.18)	<input type="checkbox"/> fulfilled <input type="checkbox"/> Not fulfilled <input checked="" type="checkbox"/> n.a.

2.1.14 Std Linear Impact
(clause 7.3)

x	fulfilled
	Not fulfilled
	n.a.

Size: 63 cm

Test Head Form: Q (625 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤275g	HIC ≤2400
XXL-1	Ambient-temperature and Hygrometry Conditioning	Kerbstone	B	7.65	.142	1129
		Kerbstone	X	7.62	169	1647
		Flat	P	7.62	183	1587
		Flat	R	7.62	146	1021
XXL-2	Ambient-temperature and Hygrometry Conditioning	Flat	B	7.62	190	1228
		Flat	X	7.62	203	1926
		Kerbstone	P	7.65	140	1203
		Kerbstone	R	7.65	131	987
XXL-3	Heat Conditioning	Kerbstone	B	7.62	124	896
		Kerbstone	X	7.62	159	1126
		Kerbstone	P	7.62	151	1092
		Kerbstone	R	7.65	143	865
XXL-4	Low-temperature Conditioning	Flat	B	7.68	157	1290
		Flat	X	7.65	197	1565
		Flat	P	7.62	204	2040
		Flat	R	7.68	141	1006
		Flat	S	6.06	129	968
XXL-5	Ultraviolet-radiation Conditioning and Moisture Conditioning.	Kerbstone	B	7.65	170	1270
		Kerbstone	X	7.62	201	1566
		Flat	P	7.65	177	1867
		Flat	R	7.62	155	1125

Size: 59/60 cm

Test Head Form: M (605 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤275g	HIC ≤2400
L-1	Heat Conditioning	Kerbstone	B	7.68	126	895
		Kerbstone	X	7.62	176	1275
		Kerbstone	P	7.62	155	1280
		Kerbstone	R	7.62	124	809
L-2	Low-temperature Conditioning	Flat	B	7.59	162	1097
		Flat	X	7.62	206	1706
		Flat	P	7.65	196	2119
		Flat	R	7.62	143	1063
		Flat	S	6.06	127	960

Size: 57/58 cm

Test Head Form: J (575 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤275g	HIC ≤2400
M-1	Ambient-temperature and Hygrometry Conditioning	Kerbstone	B	7.65	128	891
		Kerbstone	X	7.59	151	984
		Flat	P	7.68	194	1885
		Flat	R	7.65	159	1051
M-2	Ambient-temperature and Hygrometry Conditioning	Flat	B	7.65	171	1175
		Flat	X	7.62	206	1731
		Kerbstone	P	7.59	170	1362
		Kerbstone	R	7.59	128	813
M-3	Heat Conditioning	Kerbstone	B	7.65	127	881
		Kerbstone	X	7.65	153	1002
		Kerbstone	P	7.62	179	1416
		Kerbstone	R	7.62	111	804
M-4	Low-temperature Conditioning	Flat	B	7.62	183	1458
		Flat	X	7.62	189	1528
		Flat	P	7.65	177	1701
		Flat	R	7.62	125	833
		Flat	S	6.06	129	905
M-5	Ultraviolet-radiation Conditioning and Moisture Conditioning.	Kerbstone	B	7.65	160	1107
		Kerbstone	X	7.65	194	1587
		Flat	P	7.65	179	1707
		Flat	R	7.62	150	1045

Size: 53/54 cm

Test Head Form: E (535 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤275g	HIC ≤2400
XS-1	Heat Conditioning	Kerbstone	B	7.62	144	1133
		Kerbstone	X	7.68	140	966
		Kerbstone	P	7.65	157	1177
		Kerbstone	R	7.65	147	1120
XS-2	Low-temperature Conditioning	Flat	B	7.62	203	1555
		Flat	X	7.63	199	1613
		Flat	P	7.65	188	1914
		Flat	R	7.59	146	831
		Flat	S	6.04	153	1021

Size: 51/52 cm

Test Head Form: C (515 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤275g	HIC ≤2400
XXS-1	Ambient-temperature and Hygrometry Conditioning	Kerbstone	B	7.68	170	1370
		Kerbstone	X	7.59	205	1350
		Flat	P	7.62	197	1950
		Flat	R	7.59	150	1149
XXS-2	Ambient-temperature and Hygrometry Conditioning	Flat	B	7.62	186	1392
		Flat	X	7.59	215	1646
		Kerbstone	P	7.59	172	1568
		Kerbstone	R	7.62	167	1401
XXS-3	Heat Conditioning	Kerbstone	B	7.59	143	1042
		Kerbstone	X	7.59	205	1248
		Kerbstone	P	7.62	177	1730
		Kerbstone	R	7.62	175	1526
XXS-4	Low-temperature Conditioning	Flat	B	7.62	187	1487
		Flat	X	7.59	217	1627
		Flat	P	7.62	198	2019
		Flat	R	7.62	142	952
		Flat	S	6.05	130	987
XXS-5	Ultraviolet-radiation Conditioning and Moisture Conditioning.	Kerbstone	B	7.62	186	1491
		Kerbstone	X	7.62	220	1708
		Flat	P	7.59	198	2025
		Flat	R	7.62	167	1332

Size: 49/50 cm

Test Head Form: A (495 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤275g	HIC ≤2400
XXXS-1	Heat Conditioning	Kerbstone	B	7.59	159	1221
		Kerbstone	X	7.59	132	864
		Kerbstone	P	7.59	175	1762
		Kerbstone	R	7.62	162	1243
XXXS-2	Low-temperature Conditioning	Flat	B	7.62	204	1477
		Flat	X	7.59	197	1397
		Flat	P	7.59	184	1916
		Flat	R	7.59	137	983
		Flat	S	6.04	128	873

2.1.15 Linear Extra Point Impact (clause 7.3)

x	fulfilled
	Not fulfilled
	n.a.

Size: 63 cm

Test Head Form: O (625 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤275g	HIC ≤2400
XXL-6	Ambient-temperature and Hygrometry Conditioning	Kerbstone	BXL	7.65	135	1008
		Kerbstone	RXPL	7.59	139	1204
		Kerbstone	RXR	7.62	200	1666
		Kerbstone	BXPR	7.68	155	1337
XXL-7	Ambient-temperature and Hygrometry Conditioning	Flat	BXL	7.68	179	1314
		Flat	RXPL	7.65	207	2327
		Flat	RXR	7.68	236	1903
		Flat	BXPR	7.65	156	1334

Size: 57/58 cm

Test Head Form: J (575 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤275g	HIC ≤2400
M-6	Ambient-temperature and Hygrometry Conditioning	Kerbstone	BXL	7.62	156	1123
		Kerbstone	RXPL	7.65	135	1122
		Kerbstone	RXR	7.62	193	1404
		Kerbstone	BXPR	7.59	124	933
M-7	Ambient-temperature and Hygrometry Conditioning	Flat	BXL	7.62	176	1409
		Flat	RXPL	7.62	182	1753
		Flat	RXR	7.62	221	1938
		Flat	BXPR	7.62	162	1514

R22 E1*22R06/01*300728*04

Size: 51/52 cm

Test Head Form: C (515 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤275g	HIC ≤2400
XXS-6	Ambient-temperature and Hygrometry Conditioning	Kerbstone	BXL	7.59	150	1201
		Kerbstone	RXPL	7.59	159	1194
		Kerbstone	RXR	7.62	160	1213
		Kerbstone	BXPR	7.59	169	1161
XXS-7	Ambient-temperature and Hygrometry Conditioning	Flat	BXL	7.68	198	1657
		Flat	RXPL	7.64	193	1759
		Flat	RXR	7.62	160	1025
		Flat	BXPR	7.65	182	1504

2.1.16 Linear Hi/Low Energy Impact (clause 7.3)

<input checked="" type="checkbox"/>	fulfilled
<input type="checkbox"/>	Not fulfilled
<input type="checkbox"/>	n.a.

Size: 63 cm

Test Head Form: O (625 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤180g	HIC ≤1300
XXL-8	Ambient-temperature and Hygrometry Conditioning	Flat	B	6.08	161	1011
		Flat	X	6.06	154	929
		Flat	P	6.04	155	1223
		Flat	R	6.06	127	749

Size: 63 cm

Test Head Form: O (625 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤275g	HIC ≤2880
XXL-9	Ambient-temperature and Hygrometry Conditioning	Flat	B	8.23	182	1638
		Flat	X	8.29	237	2189
		Flat	P	8.23	212	2566
		Flat	R	8.23	209	1642

Size: 57/58 cm

Test Head Form: J (575 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤180g	HIC ≤1300
M-8	Ambient-temperature and Hygrometry Conditioning	Flat	B	6.02	141	804
		Flat	X	6.06	163	993
		Flat	P	6.06	157	1218
		Flat	R	6.05	129	669

Size: 57/58 cm

Test Head Form: J (575 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤275g	HIC ≤2880
M-9	Ambient-temperature and Hygrometry Conditioning	Flat	B	8.29	186	1528
		Flat	X	8.29	214	1913
		Flat	P	8.27	219	2797
		Flat	R	8.29	161	669

Size: 51/52 cm

Test Head Form: C (515 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤180g	HIC ≤1300
XXS-8	Ambient-temperature and Hygrometry Conditioning	Flat	B	6.06	138	806
		Flat	X	6.02	169	955
		Flat	P	6.04	141	1075
		Flat	R	6.02	112	609

Size: 51/52 cm

Test Head Form: C (515 mm)


Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	Peak 'G ≤275g	HIC ≤2880
XXS-9	Ambient-temperature and Hygrometry Conditioning	Flat	B	8.26	208	1922
		Flat	X	8.26	250	2241
		Flat	P	8.26	240	2709
		Flat	R	8.22	154	1383

- 2.1.17 Test method for projections and surface friction Procedure A (7.4.1)
 Procedure B (7.4.2)

Helmet No.	Condition	Helmet Size (cm)	Projections	Friction
M-14	Ambient-temperature and Hygrometry Conditioning	57/58	Pass	Pass

- 2.1.18 Test for Projections of the Category P/J with Movable Lower Face Cover (clause 7.4.3) fulfilled
 Not fulfilled
 n.a.

- 2.1.19 Rigidity test (clause 7.5) fulfilled
 Not fulfilled
 n.a.



Helmet No.	Condition	Helmet Size (cm)	Direction	Max. deformation (≤ 40 mm)	Residual deformation (≤ 15 mm)
XXL-12	Ambient-temperature and Hygrometry Conditioning	63	Longitudinal axis	8.9	1.7
XXL-13		63	Transverse axis	17.8	6.6
M-12		57/58	Longitudinal axis	9.2	2.3
M-13		57/58	Transverse axis	16.8	5.9
XXS-12		51/52	Longitudinal axis	8.7	2.0
XXS-13		51/52	Transverse axis	15.6	6.0

2.1.20 Oblique Impact test
(clause 7.13)

x	fulfilled
	Not fulfilled
	n.a.

Size: 63 cm

Test Head Form: Q (625 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	PRA ≤10400 rad/s ²	BrIC ≤0.78
XXL-10	Ambient-temperature and Hygrometry Conditioning	45° Anvil	Front lateral right (45°)	8.11	3698	0.26
			Rear (180°)	8.12	3854	0.36
			Lateral left (270°)	8.12	3596	0.24
XXL-11			Front (0°)	8.13	4036	0.36
Rear lateral right (135°)			8.12	3691	0.29	

Size: 57/58 cm

Test Head Form: J (575 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	PRA ≤10400 rad/s ²	BrIC ≤0.78
M-10	Ambient-temperature and Hygrometry Conditioning	45° Anvil	Front lateral right (45°)	8.12	3587	0.42
			Rear (180°)	8.12	4069	0.28
			Lateral left (270°)	8.14	4325	0.34
M-11			Front (0°)	8.14	3649	0.28
Rear lateral right (135°)			8.12	5410	0.42	

Size: 51/52 cm

Test Head Form: C (515 mm)

Helmet No.	Condition	Test anvil	Test site	Velocity (m/s)	PRA ≤ 10400 rad/s ²	BrIC ≤ 0.78
XXS-10	Ambient-temperature and Hygrometry Conditioning	45° Anvil	Front lateral right (45°)	8.12	4326	0.40
			Rear (180°)	8.12	3951	0.35
			Lateral left (270°)	8.12	4632	0.41
XXS-11			Front (0°)	8.14	4215	0.38
			Rear lateral right (135°)	8.12	3641	0.29

2.2 Retention system

2.2.1 The retention system is protected from abrasion (clause 6.10)

- fulfilled
- Not fulfilled
- n.a.

2.2.2 Chin strap (clause 6.11.1, 6.11.2)

The width of the chin strap is more than 20 mm under load of 150 N and it doesn't include a chin-cup.

- fulfilled
- Not fulfilled
- n.a.

2.2.3 Adjustment device (clause 6.11.3)

The retention system includes a device to adjust and maintain tension.

- fulfilled
- Not fulfilled
- n.a.

2.2.4 Fastening devices
(clauses 6.11.4 to 6.11.9)

The requirements for fastening devices and release mechanisms are in accordance to the requirements of the test standard.

fulfilled
 Not fulfilled
 n.a.

2.2.5 Pulling flap
(clauses 6.11.6)

In red and its dimensions more than 10 x 20mm

fulfilled
 Not fulfilled
 n.a.

2.2.6 Dynamic Test of the Retention System
(clause 7.6)

fulfilled
 Not fulfilled
 n.a.

Helmet No.	Condition	Helmet Size (cm)	Dynamic displacement (≤ 35 mm)	Residual displacement (≤ 25 mm)
L-3	Ambient-temperature and Hygrometry Conditioning	59/60	31.0	16.8
XS-3	Ambient-temperature and Hygrometry Conditioning	53/54	30.3	12.5
XXXS-3	Ambient-temperature and Hygrometry Conditioning	49/50	30.7	13.5

2.2.7 Retention (detaching) test (clause 7.7) fulfilled
 Not fulfilled
 n.a.

Helmet No.	Condition	Helmet Size (cm)	Movement of the reference line ($\leq 30^\circ$)	
			Backward	Frontward
L-3	Ambient-temperature and Hygrometry Conditioning	59/60	25	20
XS-3	Ambient-temperature and Hygrometry Conditioning	53/54	19	20
XXXS-3	Ambient-temperature and Hygrometry Conditioning	49/50	24	23

2.2.8 Micro-slip test of the chin strap (clause 7.10) fulfilled
 Not fulfilled
 n.a.

Slippage of chin strap: ($\leq 10\text{mm}$): <5 mm

2.2.9 Chin strap, resistance to abrasion test (clause 7.11) fulfilled
 Not fulfilled
 n.a.

2.2.9.1 Chin strap, withstand a tension of 3 kN (clause 7.11.5) fulfilled
 Not fulfilled
 n.a.

R22 E1*22R06/01*300728*04

2.2.10 Retention systems relying on quick-release mechanisms (clause 7.12)

2.2.10.1 Inadvertent release by pressure (clause 7.12.1)

<input type="checkbox"/>	fulfilled
<input type="checkbox"/>	Not fulfilled
<input checked="" type="checkbox"/>	n.a.

2.2.10.2 Ease of release (clause 7.12.2)

<input checked="" type="checkbox"/>	fulfilled
<input type="checkbox"/>	Not fulfilled
<input type="checkbox"/>	n.a.

2.2.10.3 Durability of quick-release mechanisms (clause 7.12.3)

<input checked="" type="checkbox"/>	fulfilled
<input type="checkbox"/>	Not fulfilled
<input type="checkbox"/>	n.a.

2.3 Visor

<input type="checkbox"/>	n.a. (no)
<input checked="" type="checkbox"/>	n.a. (separately approved)

Refer to approval no.: E1 22R 06300902

2.4 Sun shield

<input checked="" type="checkbox"/>	n.a. (no)
<input type="checkbox"/>	n.a. (separately approved)

2.5 Information for wearers
(clauses 14.1 to 14.6)

2.5.1 Every protective helmet placed on the market shall bear a clearly visible label with the following inscription in the national language, or at least one of the national languages, of the country of destination:

<input checked="" type="checkbox"/>	fulfilled
<input type="checkbox"/>	Not fulfilled
<input type="checkbox"/>	n.a.

"For adequate protection, this helmet must fit closely and be securely attached. Any helmet that has sustained a violent impact should be replaced"

and, if fitted with a non protective lower face cover:

<input type="checkbox"/>	fulfilled
<input type="checkbox"/>	Not fulfilled
<input checked="" type="checkbox"/>	n.a.

"Does not protect chin from impacts"

together with the symbol indicating the unsuitability of the lower face cover to offer any protection against impacts to the chin

2.5.2 and, if hydrocarbons, cleaning fluids, paints, transfers or other extraneous additions affect the shell material adversely

<input checked="" type="checkbox"/>	fulfilled
<input type="checkbox"/>	Not fulfilled
<input type="checkbox"/>	n.a.

"'Warning' - Do not apply paint, stickers, petrol or other solvents to this helmet"

2.5.3 Every protective helmet shall be clearly marked with its size and its maximum weight, to the nearest 50 grammes, as placed on the market. The maximum weight quoted should include all the accessories that are supplied with the helmets, within the packaging, as it is placed on the market, whether or not those accessories have actually been fitted to the helmet.

<input checked="" type="checkbox"/>	fulfilled
<input type="checkbox"/>	Not fulfilled
<input type="checkbox"/>	n.a.

- | | | |
|---------|---|--|
| 2.5.4 | Every protective helmet offered for sale shall bear a label showing the type or types of visor that have been approved at the manufacturer's request. | <input checked="" type="checkbox"/> fulfilled
<input type="checkbox"/> Not fulfilled
<input type="checkbox"/> n.a. |
| 2.5.5 | Every visor offered for sale shall bear a label showing the types of protective helmet for which it has been approved | <input checked="" type="checkbox"/> fulfilled
<input type="checkbox"/> Not fulfilled
<input type="checkbox"/> n.a. |
| 2.5.6 | Every visor placed on the market with a protective helmet shall be accompanied by information in the national language, or in at least one of the national languages, of the country of destination. This information shall contain: | |
| 2.5.6.1 | General Instruction for Storage and Care | <input checked="" type="checkbox"/> fulfilled
<input type="checkbox"/> Not fulfilled
<input type="checkbox"/> n.a. |
| 2.5.6.2 | Specific instructions for cleaning and their notice of use. These instructions shall include a warning regarding the dangers of using unsuitable agents for cleaning (such as solvents), especially if abrasion resistant coatings are to be preserved. | <input checked="" type="checkbox"/> fulfilled
<input type="checkbox"/> Not fulfilled
<input type="checkbox"/> n.a. |
| 2.5.6.3 | Advice as to the suitability of the visor for use in conditions of poor visibility and during the hours of darkness. The following warning shall be included:
Visors with the marking indicating "daytime use only" are not suitable for use during the hours of darkness or in conditions of poor visibility. | <input checked="" type="checkbox"/> fulfilled
<input type="checkbox"/> Not fulfilled
<input type="checkbox"/> n.a. |

2.5.6.4 If appropriate, the following warning shall also be included

The fastening of this visor is such that it will not be possible to remove it instantly from the line of sight with one hand should an emergency (such as headlamp glare or misting) occur.

	fulfilled
	Not fulfilled
x	n.a.

2.5.6.5 If the visor is MIST RETARDANT approved it may be indicated

	fulfilled
	Not fulfilled
x	n.a.

2.5.6.6 Instructions regarding the detention of obsolescence

x	fulfilled
	Not fulfilled
	n.a.

3 Other information

Place of testing: SGS CSTC Guangzhou, P.R. China

Date of testing: From 15.08.2022 to 25.08.2022

4 Remarks: ---

List of modifications

- | | | |
|---|------------------|--|
| 1 | Correction of: | n.a. |
| 2 | Modification of: | <ol style="list-style-type: none"> 1. Modify regulation from “Supplement 3 to the 05 series of amendments” to “Supplement 1 to the 06 series of amendments”. 2. Modify protective paddings’ design. 3. Modify Type(s) of visor to which may be equipped with this helmet from “HH-02” to “H-02”. 4. Modify Quick release buckle. 5. Modify Size(s) (cm) from “XL(61)” to “XL(61/62)”. |
| 3 | Addition of: | <ol style="list-style-type: none"> 1. Make (trade name of manufacturer) add “J1, ROOK HELMETS, JOHNNY REB, CRAFT, Hayder Motorcycles, römer, rueger-helmets, EOLE, AMOQ, RAVEN, HYPE HELMETS, BEFAST, PROGRIP, BIKE IT, VPR, 3GO, 3GO Helmets, RSX, ZORAX, PROV, KENNY, S-LINE, SWAP’S, GASOLINE, VESPA, SSY, Ajax, ROOST”. 2. Commercial description(s) add “T151, H151”. 3. Size(s) (cm) add “XXL(63)”. |
| 4 | Deletion of: | Make (trade name of manufacturer) delete “SLINE”. |

R22 E1*22R06/01*300728*04

INFORMATION DOCUMENT

No.: R22-V151-01



SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.

TYPE: V151

Protective helmet
pursuant to

Regulation No. 22

**UNIFORM PROVISIONS CONCERNING THE APPROVAL OF
PROTECTIVE HELMETS AND THEIR VISORS FOR DRIVERS AND
PASSENGERS OF MOTORCYCLES AND MOPEDS**

Signature of a responsible person:

A handwritten signature in black ink, appearing to be "J. Wang", written over a light blue horizontal line.

Date: 09.08.2022

Reason of extension:

Correction: n.a.

Modification: 1. Modify regulation from "Supplement 3 to the 05 series of amendments" to "Supplement 1 to the 06 series of amendments".
2. Modify protective paddings' design.
3. Modify Type(s) of visor to which may be equipped with this helmet from "HH-02" to "H-02".
4. Modify Quick release buckle.
5. Modify Size(s) (cm) from "XL(61)" to "XL(61/62)".

Addition: 1. Make (trade name of manufacturer) add "J1, ROOK HELMETS, JOHNNY REB, CRAFT, Hayder Motorcycles, römer, rueger-helmets, EOLE, AMOQ, RAVEN, HYPE HELMETS, BEFAST, PROGRIP, BIKE IT, VPR, 3GO, 3GO Helmets, RSX, ZORAX, PROV, KENNY, S-LINE, SWAP'S, GASOLINE, VESPA, SSY, Ajax, ROOST".
2. Commercial description(s) add "T151, H151".
3. Size(s) (cm) add "XXL(63)".

Deletion: Make (trade name of manufacturer) delete "SLINE".

Total Page: 25



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 2 of 25

0 GENERAL INFORMATION

- 0.1 Make (trade name of manufacturer) : TORC, ORIGINE, TANKED RACING, VCAN, NITEK, NEXO, BENELLI, SQ, BOOST, RUEGER, STORMER, JUST1, MAX, ROCC, SCORPION, RJAYS, GERMOT, ZUNDAPP, ROMER, AKIRA, KSK, TRENDY, PIAGGIO, MOTO GUZZI, APRILIA, DERBI, VIPER, STEALTH, SPIRIT, SHAFT, CMS, W-TEC, SEC, DEXTER, Z1R, LEVIOR, PROTECTWEAR, NAVA, FASTR, MOTOZEM, JET, BOGOTTO, CASSIDA, MASU, YOKO, ELDORADO, TORQ, SPARTA, 130R, X-SPORTS, J1, ROOK HELMETS, JOHNNY REB, CRAFT, Hayder Motorcycles, römer, rueger-helmets, EOLE, AMOQ, RAVEN, HYPE HELMETS, BEFAST, PROGRIP, BIKE IT, VPR, 3GO, 3GO Helmets, RSX, ZORAX, PROV, KENNY, S-LINE, SWAP'S, GASOLINE, VESPA, SSY, Ajax, ROOST
- 0.2 Type : V151
- 0.2.1 Commercial description(s) : T151, H151
- 0.3 Variants / Versions : n.a.
- 0.4 Name and address of manufacturer : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.
 NO.8 FENGJIN ROAD XIDU INDUSTRIAL
 DEVELOPMENT ZONE FENGXIAN DISTRICT
 SHANGHAI CHINA
- 0.5 Name and address of assembly plant : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.
 NO.8 FENGJIN ROAD XIDU INDUSTRIAL
 DEVELOPMENT ZONE FENGXIAN DISTRICT
 SHANGHAI CHINA
- 0.6 Name and address of manufacturer's authorized representative (if any) : n.a.
- 0.7 Location and method of affixing of the international approval mark : Marked in a label sewn on the retention system,
 See Annex 5

1 TECHNICAL DESCRIPTION

- 1.1 Description of the helmet
- 1.1.1 Type of helmet : Full face
- 1.1.2 Type of lower face cover : "P" protective
- 1.1.3 Size(s) (cm) : XXXXS(48), XXXS(49/50), XXS(51/52), XS(53/54), S(55/56), M(57/58), L(59/60), XL(61/62), XXL(63)
- 1.1.4 Drawing of the helmet : See Annex 1
- 1.1.5 Type(s) of visor to which may be equipped with this helmet : H-02
- 1.2 Description of the visor : Visor type: H-02
Refer to approval number: E1 22R 06300902

R22 E1*22R06/01*300728*04



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 3 of 25

- 1.3 Description of the shell
- 1.3.1 Material : ABS
- 1.3.2 Manufacture method : By Injection
- 1.3.3 Ventilation : See Annex 1
- 1.3.4 Composition of the border join on the shell : PVC
- 1.3.5 Drawing of the shell : See Annex 2

- 1.4 Description of protective padding
- 1.4.1 Composition : EPS
- 1.4.2 Density and weight :

Size (cm)	Shell size	Comfort padding thickness +Top Zone (mm)	EPS Density Main + Top + Ear + Insert (Kg/m ³)	EPS Padding Thickness (mm)	EPS Density Main + Top + Ear + Insert (Kg/m ³)
XXXXS(48)	S	<u>14+12</u>	<u>35+20+68+75</u>	<u>24-36</u>	<u>67+13+13+3</u>
XXXS(49/50)	S	<u>12+12</u>	<u>35+20+68+75</u>	<u>24-36</u>	<u>67+13+13+3</u>
XXS(51/52)	S	<u>10+12</u>	<u>35+20+68+75</u>	<u>24-36</u>	<u>67+13+13+3</u>
XS(53/54)	L	<u>12+12</u>	<u>42+25+63+60</u>	<u>28.6-43</u>	<u>61+52+17+3</u>
S(55/56)	L	<u>10+12</u>	<u>42+25+63+60</u>	<u>28.6-43</u>	<u>61+52+17+3</u>
M(57/58)	L	<u>8+12</u>	<u>42+25+63+60</u>	<u>28.6-43</u>	<u>61+52+17+3</u>
L(59/60)	XXL	<u>12+12</u>	<u>50+26+63+60</u>	<u>28.9-43</u>	<u>70+58+17+3</u>
XL(61/62)	XXL	<u>10+12</u>	<u>50+26+63+60</u>	<u>28.9-43</u>	<u>70+58+17+3</u>
XXL(63)	XXL	<u>8+12</u>	<u>50+26+63+60</u>	<u>28.9-43</u>	<u>70+58+17+3</u>

- 1.4.3 Drawing of the protective padding : See Annex 3

- 1.5 Description of comfort padding
- 1.5.1 Composition of
 - Comfort padding : Compound sponge
 - Comfort tissue : Compound cloth
 - Protection of the back of the nape : Compound sponge
 - Lateral packing : EPS and compound sponge
 - Lower face cover : EPS and PVC
- 1.5.2 Drawing of the comfort padding : See Annex 4

- 1.6 Description of the retention system
- 1.6.1 Chin strap
 - Material : Nylon Belt
 - Width : 22±1 mm
- 1.6.2 Retention system : Quick release buckle
- 1.6.3 Comfort padding of the retention system
 - Composition : Leather and fabric
 - Thickness : 2 mm
- 1.6.4 Anchorage system to the shell : By a metallic piece fitted to the internal part of the shell by a rivet
- 1.6.5 Drawing of the retention system : see Annex 5

R22 E1*22R06/01*300728*04

INFORMATION DOCUMENT

R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 4 of 25

- 1.7 Other Characteristics
- 1.7.1 Markings
 - Make : Outer shell, different location depending on makers
 - Weight : Rear part of the shell
 - Size : Rear part of the shell
- 1.7.2 Indelible marking
 - How it is made : By sewing
 - Position : On the chin strap
- 1.8 Accessories
- 1.8.1 Peak : n.a.
- 1.8.2 Information for wearer
 - 1.8.2.1 Text : see Annex 6
 - 1.8.2.2 Position : Hang-tag on strap

ANNEXS

- Annex 1 Drawing of the helmet 10.10.2018
- Annex 2 Drawing of the shell
 - V151 Small Shell 10.10.2018
 - V151 Large Shell 10.10.2018
 - V151 XX-Large Shell 09.08.2022
- Annex 3 Drawing of the protective padding
 - V151 Small Main Protective Padding (Suit for XXXXS-XXS sizes) 09.08.2022
 - V151 Medium Main Protective Padding (Suit for XS-M sizes) 09.08.2022
 - V151 XX-Large Main Protective Padding (Suit for L-XXL sizes) 09.08.2022
 - V151 Small Top Protective Padding (Suit for XXXXS-XXS sizes) 09.08.2022
 - V151 Medium Top Protective Padding (Suit for XS-M sizes) 09.08.2022
 - V151 XX-Large Top Protective Padding (Suit for L-XXL sizes) 09.08.2022
 - V151 Small Ear Protective Padding (Suit for XXXXS-XXS sizes) 09.08.2022
 - V151 Medium Ear Protective Padding (Suit for XS-M sizes) 09.08.2022
 - V151 XX-Large Ear Protective Padding (Suit for L-XXL sizes) 09.08.2022
 - V151 Rear Protective Padding (Suit for Small Protective Padding only) 10.10.2018
 - V151 Small Mouth Protective Padding 10.10.2018
 - V151 Large Protective Padding 10.10.2018
- Annex 4 Drawing of the comfort padding
 - V151 Comfort Padding 10.10.2018
 - V151 Ear Comfort Padding 10.10.2018
- Annex 5 Drawing of the retention system
 - V151 Retention System (Right) 09.08.2022
 - V151 Retention System (Left) 09.08.2022
- Annex 6 Information for wearer 10.10.2018

R22 E1*22R06/01*300728*04

INFORMATION DOCUMENT

R22-V151-01




Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 5 of 25

Annex 1: Drawing of the helmet



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
1	Shell	ABS	5	Ear Protective Padding	EPS
2	Protective Padding	EPS	6	Ear Comfort Padding	Compound sponge + Cloth + PP
3	Visor	PC	7	Chin Strap (right)	Nylon
4	Comfort Padding	Compound sponge + Cloth	8	Chin Strap (left)	Nylon
Description	V151 Helmet		Code No.:	V151	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kunrong	Checked by:	Zhu Yong	Approved by:	Zhu Xuegang
Date:	10.10.2018	Date:	10.10.2018	Date:	10.10.2018




Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 6 of 25

Annex 2: Drawing of the shell



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
1	Shell	ABS			
Description	V151 Small Shell		Code No.:	V151.1-S	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kunrong	Checked by:	Zhu Yong	Approved by:	Zhu Xuegang
Date:	10.10.2018	Date:	10.10.2018	Date:	10.10.2018

INFORMATION DOCUMENT




R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 7 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
1	Shell	ABS			
Description	V151 Large Shell		Code No.:	V151.1-L	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kunrong	Checked by:	Zhu Yong	Approved by:	Zhu Xuegang
Date:	10.10.2018	Date:	10.10.2018	Date:	10.10.2018

INFORMATION DOCUMENT


R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 8 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
1	Shell	ABS			
Description	V151 XX-Large Shell		Code No.:	V151.1-XXL	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kun Rong	Checked by:	Li Ling Song	Approved by:	Zhu Yong
Date:	09.08.2022	Date:	09.08.2022	Date:	09.08.2022




Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 9 of 25

Annex 3: Drawing of the protective padding



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
1	Main Protective Padding	EPS			
Description	<u>V151 Small Main Protective Padding (Suit for XXXXS-XXS sizes)</u>		Code No.:	V151.2-S	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kun Rong	Checked by:	Li Ling Song	Approved by:	Zhu Yong
Date:	09.08.2022	Date:	09.08.2022	Date:	09.08.2022

INFORMATION DOCUMENT




R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 10 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
1	Main Protective Padding	EPS			
Description	V151 Medium Main Protective Padding (Suit for XS-M sizes)		Code No.:	V151.2-M	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kun Rong	Checked by:	Li Ling Song	Approved by:	Zhu Yong
Date:	09.08.2022	Date:	09.08.2022	Date:	09.08.2022

INFORMATION DOCUMENT


R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 11 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
1	Main Protective Padding	EPS			
Description	V151 XX-Large Main Protective Padding (Suit for L-XXL sizes)		Code No.:	V151.2-XXL	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kun Rong	Checked by:	Li Ling Song	Approved by:	Zhu Yong
Date:	09.08.2022	Date:	09.08.2022	Date:	09.08.2022

INFORMATION DOCUMENT


R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 12 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
2	Top Protective Padding	EPS			
Description	<u>V151 Small Top Protective Padding (Suit for XXXXS-XXS sizes)</u>		Code No.:	V151.3-S	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kun Rong	Checked by:	Li Ling Song	Approved by:	Zhu Yong
Date:	09.08.2022	Date:	09.08.2022	Date:	09.08.2022

INFORMATION DOCUMENT


R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 13 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
2	Top Protective Padding	EPS			
Description	V151 Medium Top Protective Padding (suit for XS-M sizes)		Code No.:	V151.3-M	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kun Rong	Checked by:	Li Ling Song	Approved by:	Zhu Yong
Date:	09.08.2022	Date:	09.08.2022	Date:	09.08.2022

INFORMATION DOCUMENT


R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 14 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
2	Top Protective Padding	EPS			
Description	V151 XX-Large Top Protective Padding (Suit for L-XXL sizes)		Code No.:	V151.3-XXL	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kun Rong	Checked by:	Li Ling Song	Approved by:	Zhu Yong
Date:	09.08.2022	Date:	09.08.2022	Date:	09.08.2022

INFORMATION DOCUMENT







R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 15 of 25



Unit: mm

Number	Name	Material	Number	Name	Material
3	Ear Protective Padding	EPS			
Description	<u>V151 Small Ear Protective Padding (Suit for XXXXS-XXS sizes)</u>		Code No.:	V151.4-S	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kun Rong	Checked by:	Li Ling Song	Approved by:	Zhu Yong
Date:	09.08.2022	Date:	09.08.2022	Date:	09.08.2022

R22 E1*22R06/01*300728*04

INFORMATION DOCUMENT


R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 16 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
3	Ear Protective Padding	EPS			
Description	V151 Medium Ear Protective Padding (Suit for XS-M sizes)		Code No.:	V151.4-M	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kun Rong	Checked by:	Li Ling Song	Approved by:	Zhu Yong
Date:	09.08.2022	Date:	09.08.2022	Date:	09.08.2022

INFORMATION DOCUMENT


R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 17 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
3	Ear Protective Padding	EPS			
Description	V151 XX-Large Ear Protective Padding (Suit for L-XXL sizes)		Code No.:	V151.4-XXL	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kun Rong	Checked by:	Li Ling Song	Approved by:	Zhu Yong
Date:	09.08.2022	Date:	09.08.2022	Date:	09.08.2022

INFORMATION DOCUMENT


R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 18 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
4	Protective Padding XPE	XPE			
Description	V151 Rear Protective Padding (Suit for Small Protective Padding only)		Code No.:	V151-XPE	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kunrong	Checked by:	Zhu Yong	Approved by:	Zhu Xuegang
Date:	10.10.2018	Date:	10.10.2018	Date:	10.10.2018

INFORMATION DOCUMENT


R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 19 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
5	Mouth Protective Padding	EPS			
Description	V151 Small Mouth Protective Padding		Code No.:	V151.5-S	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kunrong	Checked by:	Zhu Yong	Approved by:	Zhu Xuegang
Date:	10.10.2018	Date:	10.10.2018	Date:	10.10.2018

INFORMATION DOCUMENT


R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 20 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
5	Mouth Protective Padding	EPS			
Description	V151 Large Mouth Protective Padding		Code No.:	V151.5-L	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kunrong	Checked by:	Zhu Yong	Approved by:	Zhu Xuegang
Date:	10.10.2018	Date:	10.10.2018	Date:	10.10.2018




Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 21 of 25

Annex 4: Drawing of the comfort padding



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
1	Front insert	HDPE	2	Front piping	Compound Sponge
3	Front part	Compound Sponge	4	Back part	Compound Sponge
5	Crown	Compound Sponge	6	Back cover	Compound Sponge
Description	V151 Comfort Padding		Code No.:	V151.6	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kunrong	Checked by:	Zhu Yong	Approved by:	Zhu Xuegang
Date:	10.10.2018	Date:	10.10.2018	Date:	10.10.2018

INFORMATION DOCUMENT


R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 22 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
1	Piping of the upper earmuffs	Fabric	2	Upper earmuffs surface	Compound Sponge
3	Snap button(female)	PA	4	PP sheet of the upper earmuffs	PP
Description	V151 Ear Comfort Padding		Code No.:	V151.7	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kunrong	Checked by:	Zhu Yong	Approved by:	Zhu Xuegang
Date:	10.10.2018	Date:	10.10.2018	Date:	10.10.2018




Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 23 of 25

Annex 5: Drawing of the retention system



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
1	Tri-iron sheet	sheet	2	Short-strap	Nylon
3	Piping cloth	fabric	4	Wearing cloth	Compound Sponge
5	Quick release buckle(male)	POM+Fe			
Description	V151 Retention System (Right)		Code No.:	V151.9	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kun Rong	Checked by:	Li Ling Song	Approved by:	Zhu Yong
Date:	09.08.2022	Date:	09.08.2022	Date:	09.08.2022

INFORMATION DOCUMENT


R22-V151-01



Type : V151
 Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
 MANUFACTURE CO., LTD.

Date:09.08.2022

Page 24 of 25



R22 E1*22R06/01*300728*04

Number	Name	Material	Number	Name	Material
1	Tri-iron sheet	sheet	2	Short-strap	Nylon
3	Piping cloth	fabric	4	Wearing cloth	Compound Sponge
5	Quick release buckle(female)	POM+Fe	6	Small-strap	Nylon (L*H:65*10mm)
Description	V151 Retention System (Left)		Code No.:	V151.8	
Manufacturer:	SHANGHAI HEHUI SAFETY PRODUCTS MANUFACTURE CO., LTD.				
Address:	NO.8 FENGJIN ROAD XIDU INDUSTRIAL DEVELOPMENT ZONE FENGXIAN DISTRICT SHANGHAI CHINA				
Drawn by:	Tang Kun Rong	Checked by:	Li Ling Song	Approved by:	Zhu Yong
Date:	09.08.2022	Date:	09.08.2022	Date:	09.08.2022



Type : V151
Manufacture : SHANGHAI HEHUI SAFETY PRODUCTS
MANUFACTURE CO., LTD.

Date:09.08.2022

Page 25 of 25

Annex 6: Information for wearer

WARNING

No helmet can protect the user from all possible and foreseeable impacts.

1. For adequate protection, this helmet must fit closely and be securely attached. Any helmet that has sustained a violent impact should be replaced.
2. Visors (if fitted) with the marking indicating "daytime use only" are not suitable for use during the hours of darkness or in conditions of poor visibility. The fastening of visor is such that it may not be possible to remove it instantly from the line of sight with one hand should an emergency (such as headlamp glare or misting) occur.
3. To maintain the full efficiency of the helmet, any modification to the structure of the helmet or its parts is not allowed.
4. Do not apply paint, stickers, petrol or other solvents to this helmet. Hydrocarbons, cleaning fluids, paints, transfers or other extraneous additions will affect the shell material adversely.

Shell is made by injection method using acrylonitrile butadiene styrene. Lining is made of expanded polystyrene.

Important: read helmet user's guide for additional information prior to using your new helmet.

WARNING

1. TO CLEAN THE VISOR USE HOUSEHOLD WINDOW CLEANER AND A LINT FREE TOWEL ONLY. CAUSTIC CHEMICALS OR SOLVENT MUST NOT BE USED.
2. BEFORE CLEANING VISOR, BE SURE TO BRUSH AWAY ANY LARGE PIECES OF DIRT.
3. VISORS WITH THE MARKING "DAYTIME USE ONLY" ARE NOT SUITABLE FOR USE DURING THE HOURS OF DARKNESS OR IN CONDITIONS OF POOR VISIBILITY.