



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1744/162/06/22/1120

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **RICHA**
Westerring 27, 9700 Oudenaarde
BELGIUM

Description




PPE Type : *Protective garments for motorcycle riders: class of protection A*

Product reference : Brutus Gore-tex jacket

Article code : **Black – 2BRU100**
Grey/black – 2BRU200
Grey/blue/red – 2BRU300
Black/yellow – 2BRU650
Long Black – 2BRUL100
Short Black – 2BRUS100

Available sizes : S to 6XL

Pictures :



MODEL BRUTUS GORE-TEX JACKET ARTNR 2BRU650 - BLACK / YELLOW ORDER NR SIZE 01-KAD-28-21 L	RICHA NV INSPEK
MODEL BRUTUS GORE-TEX JACKET ARTNR 2BRUL100 - LONG BLACK ORDER NR SIZE 01-KAD-28-21 L	RICHA NV INSPEK
MODEL BRUTUS GORE-TEX JACKET ARTNR 2BRUS100 - SHORT BLACK ORDER NR SIZE 01-KAD-28-21 L	RICHA NV INSPEK
MODEL BRUTUS GORE-TEX JACKET ARTNR 2BRU200 - GREY / BLACK ORDER NR SIZE 01-KAD-28-21 L	RICHA NV INSPEK
MODEL BRUTUS GORE-TEX JACKET ARTNR 2BRU100 - BLACK ORDER NR SIZE 01-KAD-28-21 L	RICHA NV INSPEK
MODEL BRUTUS GORE-TEX JACKET ARTNR 2BRU300 - GREY / BLUE / RED ORDER NR SIZE 01-KAD-28-21 L	RICHA NV INSPEK

Reference standard :

Levels of performance / class of protection

EN ISO 13688:2013

-

EN 17092-4:2020

CLASS A GARMENT

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from June 2022 and the user notice v02/2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO
Certification and Quality Manager

Date of first issue : 07 June 2022
End of validity date : 07 June 2027

Guizado

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr



www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France

Tél : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726



RICHA

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	Brutus Gore-tex jacket
Article code	:	Black – 2BRU100 Grey/black – 2BRU200 Grey/blue/red – 2BRU300 Black/yellow – 2BRU650 Long Black – 2BRUL100 Short Black – 2BRUS100
Technical file index	:	01
Last update	:	June 2022

IDENTIFICATION

Reference of the product	:	Brutus Gore-tex jacket
		Black – 2BRU100
		Grey/black – 2BRU200
Article code	:	Grey/blue/red – 2BRU300
		Black/yellow – 2BRU650
		Long Black – 2BRUL100
		Short Black – 2BRUS100
This product is a basic model.		
Technical file index :	:	01
Last update :	:	June 2022

Manufacturer:

RICHA
Westerring 27, 9700 Oudenaarde
BELGIUM

tel : 0032 55 235326

fax : 0032 55 428110

Factories:

KADENA SPORTSWEAR LTD
SFB#5, COMMILLA EPZ
BANGLADESH

GARMENT DESCRIPTION

General description and intended use:

This product is a jacket and it is a basic model.

This garment is a category II PPE.

This garment is designed for motorcycle riders. It offers a minimum necessary degree of protection from impact and abrasion, using materials and construction that meet lower requirements than for parts 2 and 3 of the EN 17092 series. Class A garments are expected to have the least ergonomic and weight penalties.

Visual description of the garment :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☒	☒ Standard ☐ Instruction for use ☒ Marking
§1.4	Manufacturer's instructions and information is available	☒	☒ Standard ☒ Instruction for use ☐ Marking
§2.1	PPE incorporating adjustments systems	☒	☒ Standard ☒ Instruction for use ☒ Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	☒	☒ Standard ☒ Instruction for use ☐ Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	☒	☐ Standard ☒ Instruction for use ☒ Marking
§2.4	Where appreciable and rapid deterioration in PPE performance is likely to be caused by ageing resulting from the periodic use of a cleaning process recommended by the manufacturer, the latter must, if possible, affix a marking to each item of PPE placed on the market indicating the maximum number of cleaning operations that may be carried out before the equipment needs to be inspected or discarded. Where such a marking is not affixed, the manufacturer must give that information in his instructions	☒	☐ Standard ☒ Instruction for use ☒ Marking
§2.5	PPE which may be caught up during use	☒	☐ Standard ☒ Instruction for use ☐ Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	☒	☐ Standard ☒ Instruction for use ☐ Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☒	☒ Standard ☒ Instruction for use ☒ Marking
§2.14	Multi-risk PPE	☒	☒ Standard ☒ Instruction for use ☒ Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	☒	☒ Standard ☒ Instruction for use ☒ Marking
§3.3	The PPE is intended to protect against mechanical injuries	☒	☒ Standard ☒ Instruction for use ☒ Marking
Specific application	Motorcycle garment	☒	☒ Standard ☒ Instruction for use ☒ Marking

Garment constitution


	Material reference	Material description	Color	Basis weight or thickness	Present in zone?		
					Z1	Z2	Z3
Outer material	KAD-MT#44 (600D OXFORD PU COATING BLACK (MTM2345))	100% polyester	Black	290 g/m ²	x	x	x
	KAD-MT#123 (600D OXFORD PU COATING BLUE	100% polyester	Blue	290 g/m ²		x	
	KAD-MT#76 (600D OXFORD PU COATING RED (MTM2345))	100% polyester	Red	290 g/m ²	x		
	KAD-MT#122 (600D OXFORD PU COATING LIGHT GREY (MTM2345))	100% polyester	Light grey	290 g/m ²	x	x	x
	KAD-MT#124 (600D OXFORD PU COATING FLUO YELLOW (MTM2345))	100% polyester	Yellow	290 g/m ²	x	x	
	KAD-MT#27 (600D POLYESTER RIPSTOP (MTM2424))	100% polyester	Black	300 g/m ²	x	x	
	KAD-MT#47 - STRETCH FABRIC (MTM1502)	92% polyester, 8% spandex	Black	220 g/m ²		x	
	KAD-MT#116 - REFLECTIVE HEAT TRANSFER CS4003-P		Grey			x	
Lining	KAD-MT#8 (5:1 MESH (MTM0079))	100% polyester	Black	85 g/m ²			
	KAD-MT#1 - STRETCH FABRIC (MTM0081G)	85% polyester, 15% spandex	Black	200 g/m ²			
Removable lining	GEN-MT#64 (bFRP40MNHS 2L PL4 (AF4M09P000P4U))	100% PTFE	Orange/grey				
	KAD-MT#125 (DT02 SANDWICH MESH FABRIC	100% polyester	Grey				
	KAD-MT#4 - 210T TAFFETA BLACK (MTL0014) with 120g polyester insulation	100% polyester	Black	60 g/m ² + insulation			
Protector pocket	KAD-MT#4 (210T TAFFETA BLACK (MTL0014))	100% polyester	Black	60 g/m ²			
Collar	KAD-MT#16 (TWIL PEACH SKIN FABRIC (MTM0009))	100% polyester	Black	110 g/m ²			
	KAD-MT#24 (NEOPRENE 2,5MM (MTN0001))	85% SBR, 15% spandex	Black	450 g/m ²			
Button	GEN-MT#234 - YKK NYLON #5 O/E L/S DA (Z101529)						
	GEN-MT#98 - SAB 5# NYLON O/E ZIPPER						
	GEN-MT#26 - YKK #5 VISLON ZIPPER						
Zip	GEN-MT#6 - YKK VISLON ZIPPER #8						
	GEN-MT#38 - VISLON #8 O/E 8V ZIPPER (YBS)						
	GEN-MT#104 - YKK #5 FLAT VISLON ZIPPER W/ LOCK SLIDER						
	GEN-MT#105 - YKK #5 WATERPROOF FLAT VISLON ZIPPER W/ LOCK SLIDER						
Vent	KAD-MT#121 (HEAVY MESH FABRIC 325G BLACK (MTM0055))	100% polyester	Black	325 g/m ²			
	KAD-MT#63 - 210T TAFFETA PU BLACK COATING WP 8K (MTL0019)	100% polyester	Black	70 g/m ²			

Material combinations

	Material reference	Combination present in zone?		
		Zone 1	Zone 2	Zone 3
Material combination 1	600D OXFORD PU COATING (black or blue or red or light grey or yellow)	x	x	x
	KAD-MT#8 - 5:1 MESH(MTM0079)			
Material combination 2	600D OXFORD PU COATING (black or blue or red or light grey or yellow)		x	x
	KAD-MT#16 - TWIL PEACHSKIN FABRIC (MTM0009)			
Material combination 3	600D OXFORD PU COATING (black or blue or red or light grey or yellow)		x	x
	KAD-MT#63 - 210T TAFFETAPU BLACK COATING WP 8K (MTL0019)			
Material combination 4	KAD-MT#27 - 600D POLYESTER RIPSTOP (MTM2424)	x	x	x
	KAD-MT#8 - 5:1 MESH(MTM0079)			
Material combination 5	KAD-MT#27 - 600D POLYESTER RIPSTOP (MTM2424)		x	x
	KAD-MT#63 - 210T TAFFETAPU BLACK COATING WP 8K (MTL0019)			
Material combination 6	KAD-MT#121 - HEAVY MESH FABRIC 325G BLACK (MTM0055)		x	x
	KAD-MT#8 - 5:1 MESH(MTM0079)			

Description of the seams

		Reference	Zone 1	Zone 2	Zone 3	Protector pocket
Seam 1	Material 1	KAD-MT#44 (600D OXFORD PU COATING BLACK (MTM2345))			x	
	Material 2	KAD-MT#47 - STRETCH FABRIC (MTM1502)				
Seam 2	Material 1	KAD-MT#44 (600D OXFORD PU COATING BLACK (MTM2345))			x	
	Material 2	KAD-MT#44 (600D OXFORD PU COATING BLACK (MTM2345))				
Seam 3	Material 1	KAD-MT#44 (600D OXFORD PU COATING BLACK (MTM2345))			x	
	Material 2	KAD-MT#27 - 600D POLYESTER RIPSTOP (MTM2424)				
Seam 4	Material 1	KAD-MT#44 (600D OXFORD PU COATING BLACK (MTM2345))		x	x	
	Material 2	KAD-MT#121 (HEAVY MESH FABRIC 325G BLACK (MTM0055))				
Seam 5	Material 1	KAD-MT#44 (600D OXFORD PU COATING BLACK (MTM2345))		x	x	
	Material 2	KAD-MT#44 (600D OXFORD PU COATING BLACK (MTM2345))				
Seam 6	Material 1	KAD-MT#44 (600D OXFORD PU COATING BLACK (MTM2345))	x	x	x	
	Material 2	KAD-MT#44 (600D OXFORD PU COATING BLACK (MTM2345))				
Seam 7	Material 1	KAD-MT#44 (600D OXFORD PU COATING BLACK (MTM2345))	x	x	x	
	Material 2	KAD-MT#44 (600D OXFORD PU COATING BLACK (MTM2345))				
Seam 8	Material 1	KAD-MT#8 (5:1 MESH (MTM0079))				x
	Material 2	KAD-MT#4 (210T TAFFETA BLACK (MTL0014))				



STYLE NAME:	BRUTUS GORE-TEX JACKET					
SEAM NUMBER	OUTER MATERIAL 1	INNER MATERIAL 1A	INNER MATERIAL 1B	INNER MATERIAL 1C	OUTER MATERIAL 2	INNER MATERIAL 2A
1	KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)	GEN-MT#76 - 0,5 - 3 CM SPONGE (ACS0022)	KAD-MT#126 - INTERLINING FABRIC (MTM0089)	KAD-MT#63 - 210T TAFFETA PU BLACK COATING WP 8K (MTL0019)	KAD-MT#47 - STRETCH FABRIC (MTM1502)	KAD-MT#47 - STRETCH FABRIC (MTM1502)
2	KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)	KAD-MT#63 - 210T TAFFETA PU BLACK COATING WP 8K (MTL0019)	KAD-MT#126 - INTERLINING FABRIC (MTM0089)	KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)	KAD-MT#47 - STRETCH FABRIC (MTM1502)	KAD-MT#47 - STRETCH FABRIC (MTM1502)
3	KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)	GEN-MT#76 - 0,5 - 3 CM SPONGE (ACS0022)	KAD-MT#126 - INTERLINING FABRIC (MTM0089)	KAD-MT#63 - 210T TAFFETA PU BLACK COATING WP 8K (MTL0019)	KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)	
4 & 8	KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)				KAD-MT#27 - 600D POLYESTER RIPSTOP (MTM2424)	
5	KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)				KAD-MT#121 - HEAVY MESH FABRIC 325G BLACK (MTM0055)	
6	KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)				KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)	
7 & 9 & 10	KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)				KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)	
12	KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)	KAD-MT#63 - 210T TAFFETA PU BLACK COATING WP 8K (MTL0019)	KAD-MT#121 - HEAVY MESH FABRIC 325G BLACK (MTM0055)		KAD-MT#44 - 600D OXFORD PU COATING BLACK (MTM2345)	

PROTECTION SCOPE

This garment meets the essential health and safety requirements of the Personal Protective Equipment Regulation (UE) 2016/425.

It is a category II product.

This garment is designed for motorcycle riders. It offers a minimum necessary degree of protection from impact and abrasion, using materials and construction that meet lower requirements than for parts 2 and 3 of the EN 17092 series. Class A garments are expected to have the least ergonomic and weight penalties.

GENERAL REQUIREMENTS

Range of size

Size	S	M	L	XL	2XL	3XL	4XL	5XL
Height (cm)	166 - 172	169 - 175	172 - 178	175 - 181	178 - 184	181 - 187	184 - 190	185 - 191
Chest or bust girth (cm)	102 - 106	108 - 112	114 - 118	120 - 124	126 - 130	132 - 136	138 - 142	144 - 148

Size	6XL	
Height (cm)	186 - 192	
Chest or bust girth (cm)	150 - 154	

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Standard EN 17092-4:2020

		Zone 1	Zone 2	Zone 3		
Dimensional stability of the garment (N/A if no cleaning required)		%	± 5			
Impact protector location and fixation		over the correct location on the body, secured within the pockets and secured in their position.				
External impact protector location and fixation		pocket shall meet the requirements of the appropriate zone. Protector shall not be released				
Impact abrasion	Darmstadt / no hole on the 9 test pieces	rpm	265	147	n/a	
Seam strength	by zone	N/mm	≥6	≥6	≥4	
	protector pocket	N/mm	≥4			
Seam construction	general	-	at least one line protected			
	leather or textile abrasion overlays	-	at least 2 rows of stitching			
	hard shell overlays	-	at least 2 rows of stitching			
Tear strength	by zone	N	≥35	≥25	≥25	
	protector pocket	N	≥10			
Restraint	Two pieces suits	no gap and no opening				
	sleeve	no extraction of the cone				
	Thumb loops distance A-B	mm	max 140			
Innocuousness	EN ISO 13688:2013 § 4.2 + REACH	pH, Cr VI (leather), Ni (metal in contact with skin), Azo dyes (if contact with skin), Tin, Cadmium (coated material), PAH (plastic in contact with skin), phthalates (polymers in contact with skin)				
Structural closure	same test as seams	N/mm	≥6	≥6	≥4	
Vents		protected by same SSL or by SSL zone 3 if opening limited to 4cm at 90° of the length				
Pockets		protected by same SSL extended along the interior of the pocket beyond the opening at least an additional 3 cm				
Fit and ergonomics		EN 17092-1, 5.5 : all answers positive				

TEST REPORTS

1	Satra 2777/10837-01/E00-00
2	Satra 2777/10813-03/E00-00
3	Satra 2777/13054-03/E00-00
4	Satra 2777/11251-01/E00-00
5	Satra 2777/10815-01/E00-00
6	Satra 2777/10609-01/E00-00
7	Satra 2777/10608-02/E00-00

8	Satra 2777/10804-01/E00-00
9	Satra 2777/10807-01/E00-00
10	L210100830_1
11	L210100806_1
12	L220202251_1
13	L220202235_1
14	L220508843-1

		Reports
4.1 - General		
4.1.1 Innocuousness and REACh - Annex XVII		10+12
4.1.3 Dimensional stability of garments	Washing Température : 40°C Number of washing cycles : 5	13
4.2 - Impact Energy Absorption		
4.2.1 General		1+2+3+4+5+6+7+8+9+13
4.2.2 Impact protector location and fixation		1+2+3+4+5+6+7+8+9+13
4.3 Impact abrasion resistance		13+14
4.4 - Structurally Strong Seams (SSS)		
4.4.1 - General		13
4.4.2 Seam strength		13
4.5 - Tear strength		
4.5 Tear strength		11+13
4.6- Restraint		
4.6.1 - General		13
4.6.2 Two-piece suit requirements for joint between the upper and the lower part		13
4.6.3 Garment sleeve restraint		13
4.7- Additional garment construction requirements		
4.7.2 - Structural closures		13
4.7.3 - Vents		13
4.7.4 - Pockets		13
4.7.5 - Zone intrusions		n.a
4.7.7 - Use of open mesh materials		13
4.7.8 - Use of retroreflective materials (optional)	Performance of the retroreflective materials shall be in conformity with Clause 6 of EN 1150:1999. This requirement does not apply to reflective elements included for reasons of design or decoration.	n.a
4.8 Fit and ergonomics		13

MARKING - PACKAGING

Marking of the garment:

Logo of Manufacturer

Address of Manufacturer

Logo



Product reference:

Brutus Gore-tex jacket

Black – 2BRU100

Grey/black – 2BRU200

Grey/blue/red – 2BRU300

Article Code:

Black/yellow – 2BRU650

Long Black – 2BRUL100

Short Black – 2BRUS100

Size indicator

Pictograms

Indication of the protection Class A


Date of Manufacture (month/year) and/or serial/batch number

Date of obsolescence (month/year) if applicable

Location of the marking: Inside labels

Garment marking example:

MODEL BRUTUS GORE-TEX JACKET ARTNR 2BRU650 - BLACK / YELLOW ORDER NR SIZE 01-KAD-28-21 L	RICHA NV INSPEK
MODEL BRUTUS GORE-TEX JACKET ARTNR 2BRUL100 - LONG BLACK ORDER NR SIZE 01-KAD-28-21 L	RICHA NV INSPEK
MODEL BRUTUS GORE-TEX JACKET ARTNR 2BRUS100 - SHORT BLACK ORDER NR SIZE 01-KAD-28-21 L	RICHA NV INSPEK
MODEL BRUTUS GORE-TEX JACKET ARTNR 2BRU200 - GREY / BLACK ORDER NR SIZE 01-KAD-28-21 L	RICHA NV INSPEK
MODEL BRUTUS GORE-TEX JACKET ARTNR 2BRU100 - BLACK ORDER NR SIZE 01-KAD-28-21 L	RICHA NV INSPEK
MODEL BRUTUS GORE-TEX JACKET ARTNR 2BRU300 - GREY / BLUE / RED ORDER NR SIZE 01-KAD-28-21 L	RICHA NV INSPEK



Method of marking of the garment:

Labels

PPE subject to ageing :

Peremption period: 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the garment shall be visually controlled. In case of deterioration the garment must be scrapped (abrasion, cut, tear, ...).

Cleaning instructions:

Number of cleaning cycles:	5
Care Instructions:	Remove protectors before cleaning Machine wash 40°C

MEANS OF CONTROL

1. Research and development
2. Sourcing
3. Purchasing
4. Documentation and traceability
5. Receipt of raw materials / Control of supplies
- Testing of raw materials in laboratory: pH & Azoïcs test with every new shipment
6. Quality control during glove manufacturing
7. Quality control of finished gloves
8. Quality control packaging & labels
9. Quality control finished shipment
10. Quality control necessary documents
11. Receipt and inspection of documents and gloves at headquarters
12. Written evaluation finished order

DNV·GL

MANAGEMENT SYSTEM CERTIFICATE

Certificate No: 202753-2016-AQ-BEL-RvA	Initial certification date: 22 August 2016	Valid: 22 August 2019 - 21 August 2022
---	---	---

This is to certify that the management system of

Richa
Westerring 27, 9700 Oudenaarde, Belgium

has been found to conform to the Quality Management System standard:
ISO 9001:2015

This certificate is valid for the following scope:
The design, distribution, customization and post-delivery activities of motorcycle clothing and accessories.

Place and date: Barendrecht, 07 November 2019	 The RvA is a signatory to the IAF MLA	For the issuing office: DNV GL - Business Assurance Zwolsseweg 1, 2994 LB, Barendrecht, Netherlands J.H.E.N. van Gijlewijk Management Representative
--	---	---

Lack of fulfillment of conditions as set out in the Certification Agreement may render this Certificate invalid.
ACCREDITED UNIT: DNV GL Business Assurance B.V., Zwolsseweg 1, 2994 LB, Barendrecht, Netherlands. TEL: +31 102922689. www.dnvgl.com/assurance